


# PRESTO FACADES




METZ®



Metz **Presto**  
is eco-friendly,  
low maintenance,  
and won't fade, rot or burn.  
Its simple installation system features  
the ultimate in aesthetic choices -  
colours, styles, shapes, profiles

 **CERTIFIED**  
**NON-COMBUSTIBLE**  
CSIRO TESTED TO AS1530.1




## DESIGN

---

Metz Presto Facade system is a re-engineering of an old idea, encompassing improvements of modern extruded tile production.

Presto Facades offer extruded production ceramic panels that can provide enormous variety in colours, styles and shapes.


Modern digital techniques which can authentically replicate just about any material and provide benefits of 'better than the original'. Panels can be installed with either vertical or horizontal orientation.



## VENTILATED FACADES - THE CHIMNEY EFFECT

The gap between the facade layer and the building wall behind, is subject to an ongoing flow of air created by natural convection. This naturally occurring "free" airflow provides multiple benefits including:

- ▶ Thermal insulation - realising savings on HVAC energy costs
- ▶ Acoustic insulation
- ▶ Reduction of water ingress – (rain-screen)
- ▶ Drying effects of moving air – prevents damage from being constantly wet
- ▶ Reduced variation of building temperatures – less stress from thermal movement



## COLOUR RANGE

Huge choice of styles and colours.  
Custom designs and pieces are possible.

Additional pieces are available to  
change appearance and customise  
with murals, seasonal themes, corporate  
promotions etc.

### PLAIN GLAZED



Nieve F01



Ibiza F05



Kuwait F29



Blanco Corea F30



Beige Milan F28



Albero F23



Tabaco F11



Braun F43



Arena F03



Aldonza F01




Terracota F13



Serna F14



Rojo F25



Rojo Mate F56



Celeste F20



Azul Argel F35



Antracita F02



Grafito F16



Turquesa F19



Verde F24



Verde F44



Verde F45



Verde F46




Gris Cemento F04



Gris Miro F32



Gris India F42



Gris Marengo F17



Gris Barcelona F105

### STONE



White Stone F52



Zarautz F54



Riansares F15



Bermeo F53

### TIMBER



Volga F48



Samara F49



Taiga F50



Tundra F51

### UNGLAZED



Blanconat F55



Neronat F39



Blanconat F36



Terranat F33



Marfilnat F41



Grisnat F37



Tabaconat F38

### METALLIC



Metalizado Plata F08



Metalizado Bronze F07

### BRICK



Tan




Grey



Red


Brick panels are available in 22mm thickness



## CHOICE

Metz Presto panels are standard in 1200 x 400 x 17mm.

Other formats are possible in lengths up to 3m and heights up to 1m



Presto Facades offer extruded production ceramic panels that can provide enormous variety in styles, shapes and profiles.



\* overseas sample

## FIXING SYSTEMS

---

Metz Presto has fixing systems for both standard horizontal as well as vertical orientation.

Most provide for secret fixing and individual panel removal.

## WHY TILES?

Since ancient times fire and earth have been combined to form durable building elements.

Some of these have survived thousands of years.

Born through fire, tiles are completely non-combustible



 **CERTIFIED**  
**NON-COMBUSTIBLE**  
CSIRO TESTED TO AS1530.1



=



Modern tile production with digital technology allows the creation of tiles that look like just about any other building elements with all the benefits of tiles.



Oxidised metal look that won't rust



No termites



No sealing, painting or maintenance



Timbers that won't burn



Timbers that won't rot



Exotic stones without exotic prices

## BETTER THAN THE ORIGINAL

### STONE

Stone look tiles with all the character and none of the flaws.



### TIMBER

Timber look tiles that won't rot, shrink, change colour, be eaten by termites or burn... and requires no forest or trees for production.



### CEMENT

Cement look tiles that won't stain or need sealing and always achieves the required appearance.



### BRICKS & MORTAR


Investment...without the bricks - or the mortar!



## STRENGTH

Metz Presto facade system is based on strength. Each ceramic panel is fixed by full support over the entire length of the tile - top and bottom. This is far stronger than a clip or bracket in each corner.

Cross-bracing of the frame occurs with the simple vertical and horizontal elements.



## ENGINEERING

The design of the pieces that include the double-layer ceramic ensures that even under extreme impact the panel is retained in situ until a replacement can be effected.





## SIMPLICITY OF INSTALLATION

The Metz Presto system requires the simple fixing of the framework and hanging of the pieces. Fast and efficient - ideal for renovations.

- ▶ No curing times and weather issues
- ▶ A graffitied tile can be simply swapped over and sent for off-site cleaning in a safe facility
- ▶ Less trades required on site
- ▶ The frame will straighten uneven walls



## MULTIPLE PROFILES & SHAPES






## DIGITAL GLAZING OF IMAGES OR LOGO'S



## SCREENS & LOUVRES

Multiple profile shapes available for sunscreens and louvres for the control of every aspect.



## ENVIRONMENTAL

Presto is a fully recyclable product that is manufactured from at least 30% recycled materials.




### ANTIBACTERIAL (ISO 27447)

Active Plus Sun reacts under UV rays destroying microorganisms such as E-coli and Staphylococcus and preventing the creation of biofilm in which these organisms tend to grow.



### SELF CLEANING (ISO 27448)

Another property of Active Plus Sun is the hydrophilicity. The breakdown of organic soils is increased by photocatalysis (sunlight). The degraded soiling is then washed away by rainwater.



### DECONTAMINATION


The photocatalytic effect contributes to reducing air pollution, mainly on nitrogen oxide (NO<sub>x</sub>) compounds, through two actions.

- ▶ By direct action: reduction of harmful gaseous substances (nitrogen oxide (NO<sub>x</sub>) as benzene, toluene, etc).
- ▶ Degradation of the macromolecule (NO<sub>x</sub>) backed by laboratory test according to EN 221 971.
- ▶ For indirect action: by destroying pollutants such as ozone precursors (NO<sub>x</sub>), with the formation of ozone (O<sub>3</sub>).

## PERFORMANCE - PROTECTION FROM THE ELEMENTS

A Metz Presto facade protects your building in multiple ways:

- ▶ Reflecting light and heat
- ▶ Protection from water with overlapping panels
- ▶ Creating a chimney effect - drying humidity, moisture and condensation



Did you know...  
1000m<sup>2</sup> of cladding pulls the same NO<sub>x</sub> out of the air as 70 mature trees

## REFURBISHMENTS

---

Refurbishment process is fast and simple all from the exterior. Metz Presto framework is mounted direct to existing structural surfaces. This system provides modernisation of the building together with the ventilated facade benefits.



## IMPROVED LIVING


---

Metz Presto facades offer weather insulation while also restricting sound transfer offering a combined thermal acoustic insulation product



## REPLACING EXISTING PROBLEMS

Metz Presto are non flammable cladding panels.



## TECHNICAL DESIGN ASSISTANCE




## PANEL FORMATS

### STANDARD XB

25.5kgs/m<sup>2</sup>



1200 x 400 x 17mm



### EXTRA XD

33kgs/m<sup>2</sup>

900 x 300 (400/500 options) x 22mm



Fixing systems are available for both standard hung horizontal and vertical mounting.  
All panels can be produced in shorter lengths (1 mm increments)  
Panels up to 3m in length and 1m in height can be made (minimum qtys will apply).





 **METZ**®

 QUALITY EUROPEAN TILES

 1300 730 062

 [metzfacades.com.au](http://metzfacades.com.au)

---

**CONTACT US**



All sizes are nominal, please consult Metz for exact dimensions of available stock at time of ordering  
Minimum quantities may apply for other than the items shown  
Colour reproduction from printing is indicative only - please consult Metz for product samples

REV: 06/22